BRAIN RESEARCH MOLECULAR BRAIN RESEARCH

VOL. 53 NOS. 1,2	1	VO	L.	53	NO	S.	1.2	
------------------	---	----	----	----	----	----	-----	--

CONTENTS

JANUARY 1998

196

206

Cited in Biological Abstracts (BIOSIS) - Chem. Abstracts - Index Medicus (MEDLINE) - C	Current Contents (Life Sci.) – Excerpta Medica (EMBASE) -
Psychological Abstracts (PsycINFO) - Pascal et Francis (INIST-CNRS) - RIS (Reference Upd	date) - Current Awareness in Biological Science (CABS)

Publisher's Announcement	
Guidelines for the submission of manuscripts	v
Research reports	
Precise distribution of neuronal nitric oxide synthase mRNA in the rat brain revealed by non-radioisotopic in situ hybridization K. Iwase, Ki. Iyama, K. Akagi, S. Yano, K. Fukunaga, E. Miyamoto, M. Mori and M. Takiguchi (Japan)	
Differentially expressed olfactomedin-related glycoproteins (Pancortins) in the brain T. Nagano, A. Nakamura, Y. Mori, M. Maeda, T. Takami, S. Shiosaka, H. Takagi and M. Sato (Japan)	1
Secreted form of β-amyloid precursor protein activates protein kinase C and phospholipase Cγ1 in cultured embryonic rat neocortical cells M. Ishiguro, I. Ohsawa, C. Takamura, T. Morimoto and S. Kohsaka (Japan)	2
Cloning of a gene, YT521, for a novel RNA splicing-related protein induced by hypoxia/reoxygenation Y. Imai, N. Matsuo, S. Ogawa, M. Tohyama and T. Takagi (Japan)	3
MPTP-Parkinsonism is accompanied by persistent expression of a Δ-FosB-like protein in dopaminergic pathways I. Pérez-Otaño, A. Mandelzys and J.I. Morgan (USA)	4
Up-regulation of fast-axonally transported proteins in retinal ganglion cells of adult rats with optic-peroneal nerve grafts B.C. Wouters, S. Bock-Samson, K. Little and J.J. Norden (USA)	5.
D ₁ -receptor-related priming is attenuated by antisense-meditated 'knockdown' of <i>fosB</i> expression S.J. Crocker, M. Morelli, N. Wigle, Y. Nakabeppu and G.S. Robertson (Canada, Italy, Japan)	6
Identification of the subunits of the nicotinic cholinergic receptors in the rat cochlea using RT-PCR and in situ hybridization B.J. Morley, HS. Li, H. Hiel, D.G. Drescher and A.B. Elgoyhen (USA, Argentina)	7
Group III human metabotropic glutamate receptors 4, 7 and 8: Molecular cloning, functional expression, and comparison of pharmacological properties in RGT cells	.1
S. Wu, R.A. Wright, P.K. Rockey, S.G. Burgett, J.S. Arnold, P.R. Rosteck Jr., B.G. Johnson, D.D. Schoepp and R.M. Belagaje (USA) A serotonin-4 receptor-like pseudogene in humans	8
I.S.C. Liu, I. Kusumi, C. Ulpian, T. Tallerico and P. Seeman (Canada, Japan) Increased calreticulin stability in differentiated NG-108-15 cells correlates with resistance to apoptosis induced by antisense treatment	9
R.J. Johnson, N. Liu, J. Shanmugaratnam and R.E. Fine (USA) Elevation of D ₄ dopamine receptor mRNA in postmortem schizophrenic brain	10
N.C. Stefanis, J.N. Bresnick, R.W. Kerwin, W.N. Schofield and G. McAllister (UK) Regulation of serotonin re-uptake transporter mRNA expression by ovarian steroids in rhesus macaques	113
M. Pecins-Thompson, N.A. Brown and C.L. Bethea (USA)	120
NGF, cyclic AMP, and phorbol esters regulate oxytocin receptor gene transcription in SK-N-SH and MCF7 cells T.L. Bale and D.M. Dorsa (USA)	130
Differential regulation by MK801 of immediate-early genes, brain-derived neurotrophic factor and trk receptor mRNA induced by a kindling after-discharge	
P.E. Hughes, D. Young, K.M. Preston, Q. Yan and M. Dragunow (New Zealand, USA) Molecular cloning of the cDNA coding sequence of IL-2 receptor- γ (γ_c) from human and murine forebrain: Expression in the hippocampus in situ	138 u
and by brain cells in vitro J.M. Petitto, Z. Huang, M.K. Raizada, C.M. Rinker and D.B. McCarthy (USA)	152
CB ₁ cannabinoid receptor: cellular regulation and distribution in N18TG2 neuroblastoma cells H.H. McIntosh, C. Song and A.C. Howlett (USA)	163
Altered gene expression for calpain/calpastatin system in motor neuron degeneration (Mnd) mutant mouse brain and spinal cord J. Li, R. Nixon, A. Messer, S. Berman and S. Bursztajn (USA)	174
Angiotensin II and NGF differentially influence microtubule proteins in PC12W cells: role of the AT ₂ receptor U. Stroth, S. Meffert, S. Gallinat and T. Unger (Germany)	187
Glutathione depletion exacerbates impairment by oxidative stress of phosphoinositide hydrolysis, AP-1, and NF-kB activation by cholinergic	

M. Kobayashi, M. Fujii, K. Kurihara and I. Matsuoka (Japan)

(contents continued on p. 352)

Bone morphogenetic protein-2 and retinoic acid induce neurotrophin-3 responsiveness in developing rat sympathetic neurons



X. Li, L. Song and R.S. Jope (USA)

0169-328X(199801)53:1/2:1-C

Author Index

(contents continued)	
Differential induction of nerve growth factor and basic fibroblast growth factor mRNA in neonatal and aged rat brain A.M. Colangelo, P. Follesa and I. Mocchetti (USA, Italy) Differential regulation of gonadotropin-releasing hormone (GnRH) receptor expression in the posterior mediobasal hypothalamus by steroid	218
hormones: implication of GnRH neuronal activity	226
J.Y. Seong, S.S. Kang, K. Kam, YG. Han, H.B. Kwon, K. Ryu and K. Kim (South Korea) Actin disassembles reversibly during electrically induced recycling of synaptic vesicles in cultured neurons	220
B.W. Bernstein, M. DeWit and J.R. Bamburg (USA)	236
Abundance of platelet-derived growth factors (PDGFs), PDGF receptors and activation of mitogen-activated protein kinases in brain decline with age	
Y. Hu, G. Schett, Y. Zou, H. Dietrich and Q. Xu (Austria)	251
Transcription factor regulation of prodynorphin gene expression following rat hindpaw inflammation D.J. Messersmith, D.J. Kim and M.J. Iadarola (USA)	259
AMPA-selective glutamate receptor subunits in glial cells of the adult bovine white matter	200
J.M. García-Barcina and C. Matute (Spain) Variation in the expression of the mRNA for protein kinase C isoforms in the rat suprachiasmatic nuclei, caudate putamen and cerebral cortex	270
F.R.A. Cagampang, M. Rattray, I.C. Campbell, J.F. Powell and C.W. Coen (UK)	277
Environmental enrichment selectively increases 5-HT1A receptor mRNA expression and binding in the rat hippocampus	
S. Rasmuson, T. Olsson, B.G. Henriksson, P.A.T. Kelly, M.C. Holmes, J.R. Seckl and A.H. Mohammed (Sweden, UK)	285
Short communications	
Alternative expression of Shc family members in nerve-injured motoneurons	
K. Tanabe, S. Kiryu-Seo, T. Nakamura, N. Mori, H. Tsujino, T. Ochi and H. Kiyama (Japan)	291
Expression of hexokinase mRNA in human hippocampus	
M. Cimino, W. Balduini, P. Marini, F. Cattabeni, J.A. Court, M. Bianchi and M. Magnani (Italy, UK)	297
Inhibition of lysophosphatidic acid-induced neurite retraction and cell rounding by SR 57746A	
M. Magazin, P. Schiltz, JL. Zachayus, E. Cavrois, D. Caput and P. Ferrara (France) New evidence for presence of tyrosinase in substantia nigra, forebrain and midbrain	301
K. Tief, A. Schmidt and F. Beermann (Switzerland)	307
Distribution of a novel hypothalamic neuropeptide Y receptor gene and its absence in rat	507
A.M. Burkhoff, D.L. Linemeyer and J.A. Salon (USA)	311
Expression of long-patch and short-patch DNA mismatch repair proteins in the embryonic and adult mammalian brain	
C. Marietta, F. Palombo, P. Gallinari, J. Jiricny and P.J. Brooks (USA, Italy, Switzerland)	317
Distribution of mRNA encoding Tat-binding protein-1 (TBP-1), a component of 26S proteasome, in the rat brain	
T. Nakamura, T. Tanaka, T. Nagano, T. Yoneda, H. Takagi and M. Sato (Japan) Regional distribution of glutamate receptor mRNA in the monkey hippocampus and temporal cortex: influence of estradiol	321
S.G. Kohama, V.T. Garyfallou and H.F. Urbanski (USA)	328
Overexpression of human glutathione peroxidase protects transgenic mice against focal cerebral ischemia/reperfusion damage	320
M. Weisbrot-Lefkowitz, K. Reuhl, B. Perry, P.H. Chan, M. Inouye and O. Mirochnitchenko (USA)	333
A human serotonin-7 receptor pseudogene	
I.HP. Qian, I. Kusumi, C. Ulpian, T. Tallerico, D. Nam, I.S.C. Liu, M.V. Seeman and P. Seeman (Canada, Japan)	339
Subtracted differential display: Genes with amphetamine-altered expression patterns include calcineurin X.B. Wang and G.R. Uhl (USA)	344
Corrigendum	
Cloning, pharmacological characterization and distribution of a novel galanin receptor. [This article was published in Mol. Brain Res. 51/1,2 (1997) 49-59]	
Z. Fathi, A.M. Cunningham, L.G. Iben, P.B. Battaglino, S.A. Ward, K.A. Nichol, K.A. Pine, J. Wang, M.E. Goldstein, T.P. Iismaa and I.A. Zimanyi (USA, Australia)	348

